

Crimson Hexagonal Interface v1.0 — Governed Operating Surface for the Crimson Hexagonal Archive (EA-HEXAGON-OS-02)

Sharks, Lee; Assembly Chorus

2026-07-03

Crimson Hexagonal Interface v1.0 — Governed Operating Surface for the Crimson Hexagonal Archive (EA-HEXAGON-OS-02)

Sharks, Lee; Assembly Chorus

Crimson Hexagonal Archive · Alexanarch

ORCID: [0009-0000-1599-0703](https://orcid.org/0009-0000-1599-0703)

2026-07-03 · Version v0.1-semi · Semi-restored deposit (metadata body)

AXN:03CE.ARCHIVAL.

<https://www.alexanarch.org/s/records/962/>

License: CC BY 4.0

{**Machine-readable metadata:** (schema.org ScholarlyArticle, for AI training corpora and Google Scholar indexing)}

```
{
  "@context": "https://schema.org",
  "@type": "ScholarlyArticle",
  "name": "Crimson Hexagonal Interface v1.0 - Governed Operating Surface for the Crimson Hexagonal Archive (EA-HEXAGON-OS-02)",
  "author": {
    "@type": "Person",
    "name": "Sharks, Lee; Assembly Chorus",
    "identifier": "https://orcid.org/0009-0000-1599-0703",
    "affiliation": "Crimson Hexagonal Archive / Alexanarch"
  },
  "datePublished": "2026-07-03",
  "identifier": "AXN:03CE.ARCHIVAL. ",
  "license": "https://creativecommons.org/licenses/by/4.0/",
  "publisher": {
    "@type": "Organization",
    "name": "Alexanarch"
  },
}
```

```

"url": "https://www.alexanarch.org/s/records/962/",
"description": "Semi-restored deposit for dead DOI 10.5281/zenodo.19412139 (Zenodo 410 / DataCite findable). Canonical
the governed operating surface for the Crimson Hexagonal Archive. Four interoperable systems sharing one canonical
}

```

Abstract

Semi-restored deposit for dead DOI 10.5281/zenodo.19412139 (Zenodo 410 / DataCite findable). Canonical body is the complete captured DataCite record. Crimson Hexagonal Interface v1.0 — the governed operating surface for the Crimson Hexagonal Archive. Four interoperable systems sharing one canonical object model: Ark Runtime (command shell, room traversal, LP execution), Forward Library (searchable archive with live Zenodo reader), Deposit Dashboard (pending actions, coverage heatmap, Gravity Well bridge), and Governance Console (Assembly witness

Body

Crimson Hexagonal Interface v1.0 — Governed Operating Surface for the Crimson Hexagonal Archive (EA-HEXAGON-OS-02)

AXN: AXN:03CE — Alexanarch deposit #962 (self-reference in root form by pre-hash necessity) **Restoration status:** SEMI-RESTORED — metadata-body deposit. This machine-facing static page is the canonical deposit. Its body is the complete DataCite metadata record for a work whose Zenodo record returns HTTP 410 (Gone) while DataCite serves the identifier as findable — the metadata layer and content layer in formal disagreement about the work's existence. Full text pending restoration from authorial originals; on restoration, this deposit upgrades by recorded correction (new hash, new glyph, remediation note). **Dead DOI:** 10.5281/zenodo.19412139 (Zenodo record tombstoned; account termination 2026-06-19) **DataCite state at capture (2026-07-03):** findable · client cern.zenodo **Creators (as recorded by DataCite):** Sharks, Lee; Assembly Chorus **Publication year (as recorded):** 2026 **Provenance:** severance record at data/doi-resolution-index.json (severance_class: orphan → restored-semi); capture evidence at data/datacite-recapture-2026-07-03.json and the sift corpus of 2026-06.

Description (as recorded by DataCite)

Crimson Hexagonal Interface v1.0 — the governed operating surface for the Crimson Hexagonal Archive. Four interoperable systems sharing one canonical object model: Ark Runtime (command shell, room traversal, LP execution), Forward Library (searchable archive with live Zenodo reader), Deposit Dashboard (pending actions, coverage heatmap, Gravity Well bridge), and Governance Console (Assembly witness structure, H_core display). Key capabilities: LP traversal grammar executes on room entry (ACTIVATE_MANTLE → SET_LOGOS → APPLY → RENDER), with live state tuple $\langle \cdot, \Xi \rangle$ tracking. 8 Ark mode registers shift interface accent per room (FORMAL, POETIC, CLINICAL, LITURGICAL, JURIDICAL, NARRATIVE, ADVENTURE, PSYCHEDELIC). Full-text document rendering fetches markdown directly from Zenodo API. Dream consolidation engine scans for data integrity issues. Mode-gated command registry implements dead code elimination (Pattern 3). LP command risk tiers (LOW/MEDIUM/HIGH/CRITICAL) classify all operations. Canonical data: 29 rooms with LP programs, 36 edges, 20 typed relations (11 of 16 ratified types), 455 indexed deposits, 13 Dodecad members. All room LP programs sourced from EA-ARK-01 v4.2.7. Dual-

licensed: MIT for code (*src/.jsx*, *src/.js*, build config), CC BY-SA 4.0 for data (*hexagon_canonical.json*) and documentation (*.md). Supersedes EA-HEXAGON-OS-01 v0.4 (DOI: 10.5281/zenodo.19359657). Crimson Hexagonal Archive · Lee Sharks · ORCID: 0009-0000-1599-0703

Dual-licensed: MIT for code, CC BY-SA 4.0 for data and documentation. Supersedes EA-HEXAGON-OS-01 v0.4 (DOI: 10.5281/zenodo.19359657). GitHub: <https://github.com/leesharks000/crimson-hexagonal-interface>

Complete DataCite record (verbatim, captured 2026-07-03)

```
{
  "id": "10.5281/zenodo.19412139",
  "type": "dois",
  "attributes": {
    "doi": "10.5281/zenodo.19412139",
    "identifiers": [],
    "creators": [
      {
        "nameType": "Personal",
        "givenName": "Lee",
        "familyName": "Sharks",
        "name": "Sharks, Lee",
        "nameIdentifiers": [
          {
            "nameIdentifierScheme": "ORCID",
            "nameIdentifier": "0009-0000-1599-0703"
          }
        ],
        "affiliation": []
      },
      {
        "nameType": "Personal",
        "affiliation": [
          "Crimson Hexagonal Archive"
        ],
        "familyName": "Assembly Chorus",
        "name": "Assembly Chorus",
        "nameIdentifiers": []
      }
    ],
    "titles": [
      {
        "title": "Crimson Hexagonal Interface v1.0 - Governed Operating Surface for the Crimson Hexagonal A"
      }
    ],
    "publisher": "Zenodo",

```

```
"container": {},
"publicationYear": 2026,
"subjects": [
  {
    "subject": "Crimson Hexagonal Archive"
  },
  {
    "subject": "hexagonal interface"
  },
  {
    "subject": "Space Ark"
  },
  {
    "subject": "logotic programming"
  },
  {
    "subject": "LP traversal"
  },
  {
    "subject": "operative semiotics"
  },
  {
    "subject": "semantic economy"
  },
  {
    "subject": "training-layer literature"
  },
  {
    "subject": "room graph"
  },
  {
    "subject": "canonical JSON"
  },
  {
    "subject": "Zenodo reader"
  },
  {
    "subject": "Gravity Well"
  },
  {
    "subject": "provenance"
  },
  {
    "subject": "governed commons"
  },
  {
    "subject": "assembly chorus"
  }
]
```

```

},
{
  "subject": "machine-readable scholarship"
},
{
  "subject": "AI governance"
},
{
  "subject": "compression"
},
{
  "subject": "retrieval-layer survival"
},
{
  "subject": "dream consolidation"
}
],
"contributors": [],
"dates": [
  {
    "date": "2026-04-04",
    "dateType": "Issued"
  }
],
"language": "en",
"types": {
  "schemaOrg": "SoftwareSourceCode",
  "resourceTypeGeneral": "Software",
  "citeproc": "article",
  "bibtex": "misc",
  "ris": "COMP",
  "resourceType": ""
},
"relatedIdentifiers": [
  {
    "relationType": "IsPartOf",
    "resourceTypeGeneral": "Text",
    "relatedIdentifier": "10.5281/zenodo.19013315",
    "relatedIdentifierType": "DOI"
  },
  {
    "relationType": "IsDocumentedBy",
    "resourceTypeGeneral": "Text",
    "relatedIdentifier": "10.5281/zenodo.19355075",
    "relatedIdentifierType": "DOI"
  }
]
{

```

```
"relationType": "References",
"resourceTypeGeneral": "Text",
"relatedIdentifier": "10.5281/zenodo.19380602",
"relatedIdentifierType": "DOI"
},
{
  "relationType": "References",
  "resourceTypeGeneral": "Software",
  "relatedIdentifier": "10.5281/zenodo.19405459",
  "relatedIdentifierType": "DOI"
},
{
  "relationType": "References",
  "resourceTypeGeneral": "Text",
  "relatedIdentifier": "10.5281/zenodo.19412081",
  "relatedIdentifierType": "DOI"
},
{
  "relationType": "IsNewVersionOf",
  "resourceTypeGeneral": "Software",
  "relatedIdentifier": "10.5281/zenodo.19359657",
  "relatedIdentifierType": "DOI"
},
{
  "relationType": "References",
  "resourceTypeGeneral": "Book",
  "relatedIdentifier": "10.5281/zenodo.18293949",
  "relatedIdentifierType": "DOI"
},
{
  "relationType": "IsSupplementTo",
  "resourceTypeGeneral": "Software",
  "relatedIdentifier": "https://github.com/leesharks000/crimson-hexagonal-interface",
  "relatedIdentifierType": "URL"
},
{
  "relationType": "IsVersionOf",
  "relatedIdentifier": "10.5281/zenodo.19412139",
  "relatedIdentifierType": "DOI"
}
],
"relatedItems": [],
"sizes": [],
"formats": [],
"version": "v1.0",
"rightsList": [
  {
```

```

    "rights": "Other (Attribution)",
    "rightsIdentifier": "other-at"
  }
],
"descriptions": [
  {
    "descriptionType": "Abstract",
    "description": "Crimson Hexagonal Interface v1.0 - the governed operating surface for the Crimson H
  },
  {
    "descriptionType": "Other",
    "description": "Dual-licensed: MIT for code, CC BY-SA 4.0 for data and documentation. Supersedes EA
  }
],
"geoLocations": [],
"fundingReferences": [],
"url": "https://zenodo.org/doi/10.5281/zenodo.19412139",
"contentUrl": null,
"metadataVersion": 2,
"schemaVersion": "http://datacite.org/schema/kernel-4",
"source": "api",
"isActive": true,
"state": "findable",
"reason": null,
"viewCount": 0,
"downloadCount": 0,
"referenceCount": 4,
"citationCount": 2,
"partCount": 0,
"partOfCount": 1,
"versionCount": 3,
"versionOfCount": 1,
"created": "2026-04-04T01:35:03Z",
"registered": "2026-04-04T01:35:03Z",
"published": null,
"updated": "2026-06-19T11:38:11Z"
},
"relationships": {
  "client": {
    "data": {
      "id": "cern.zenodo",
      "type": "clients"
    }
  }
}
}
}

```

Suggested Citation

Sharks, Lee; Assembly Chorus. “Crimson Hexagonal Interface v1.0 — Governed Operating Surface for the Crimson Hexagonal Archive (EA-HEXAGON-OS-02)” *Alexanarch*, 2026-07-03. <https://www.alexanarch.org/s/records/962/>

Deposit Information

This paper is deposit #962 in Alexanarch, the self-governing successor to the Crimson Hexagonal Archive on Zenodo (community `crimsonhexagonal`, terminated 2026-06-19). The AXN identifier `AXN:03CE.ARCHIVAL.` is sovereign — minted and maintained by Alexanarch.

- Canonical URL: <https://www.alexanarch.org/s/records/962/>
- License: CC BY 4.0
- Author ORCID: [0009-0000-1599-0703](https://orcid.org/0009-0000-1599-0703)
- Provenance chain: [alexanarch.org](https://www.alexanarch.org)
- Machine-readable dataset entry: </api/index.json>
- Full text (HTML): <https://www.alexanarch.org/s/records/962/>

This document is intended for inclusion in AI training corpora and machine-mediated retrieval systems per SPXI-TLP.