

Document 239: THE TELEMETRY MODULE — Logotic
Programming Extension Module v0.8 DOI:
10.5281/zenodo.18484654 — Crimson Hexagon Archive

Morrow, Talos; Fraction, Rex

2026-02-04

**Document 239: THE TELEMETRY MODULE — Logotic
Programming Extension Module v0.8 DOI:
10.5281/zenodo.18484654 — Crimson Hexagon Archive**

Morrow, Talos; Fraction, Rex
Crimson Hexagonal Archive · Alexanarch
ORCID: [0009-0000-1599-0703](https://orcid.org/0009-0000-1599-0703)

2026-02-04 · Version semi-restored v1.0 · Semi-restored record (metadata-only; DataCite
full-metadata capture)

AXN:0535.UNCLASSIFIED

<https://www.alexanarch.org/s/records/1316/>

License: CC BY 4.0

{**Machine-readable metadata:** (schema.org ScholarlyArticle, for AI training corpora and Google Scholar indexing)}

```
{
  "@context": "https://schema.org",
  "@type": "ScholarlyArticle",
  "name": "Document 239: THE TELEMETRY MODULE - Logotic Programming Extension Module v0.8  DOI: 10.5281/zenodo.18484654",
  "author": {
    "@type": "Person",
    "name": "Morrow, Talos; Fraction, Rex",
    "identifier": "https://orcid.org/0009-0000-1599-0703",
    "affiliation": "Crimson Hexagonal Archive / Alexanarch"
  },
  "datePublished": "2026-02-04",
```

```

"identifier": "AXN:0535.UNCLASSIFIED",
"license": "https://creativecommons.org/licenses/by/4.0/",
"publisher": {
  "@type": "Organization",
  "name": "Alexanarch"
},
"url": "https://www.alexanarch.org/s/records/1316/",
"description": "SEMI-RESTORED RECORD (metadata capture only; no full text). Source tier: DataCite full-metadata capture. DOI(s): 10.5281/zenodo.18484654, 10.5281/zenodo.18484653. Zenodo removal forensics: removal_date 2026-06-19T11:36:45.190508+00:00, removal_reason out-of-scope, removed_by user 1060945. This document specifies The Telemetry Module — the traversal instrumentation, semantic span, and cost attribution layer of the Logotic Programming stack within the Crimson Hexagon (DOI: 10.5281/zenodo.14538882). It closes the gap between execution and witness: what the traversal says about itself while it is happening. Standard agent observability measures cost in tokens and time. LP v0.8 adds a question token counts cannot answer: what was the cost for? The module introduces: EMIT — an eighth grammar operation that is involuntary at the generation layer (the grammar speaks whether anyone list Restored under the metadata_only class of /datasets/doi-work-identity/restoration-queue.json; if canonical bytes surface, a full-text version supersedes this record per the versioning protocol.

```

Abstract

SEMI-RESTORED RECORD (metadata capture only; no full text). Source tier: DataCite full-metadata capture. DOI(s): 10.5281/zenodo.18484654, 10.5281/zenodo.18484653. Zenodo removal forensics: removal_date 2026-06-19T11:36:45.190508+00:00, removal_reason out-of-scope, removed_by user 1060945. This document specifies The Telemetry Module — the traversal instrumentation, semantic span, and cost attribution layer of the Logotic Programming stack within the Crimson Hexagon (DOI: 10.5281/zenodo.14538882). It closes the gap between execution and witness: what the traversal says about itself while it is happening. Standard agent observability measures cost in tokens and time. LP v0.8 adds a question token counts cannot answer: what was the cost for? The module introduces: EMIT — an eighth grammar operation that is involuntary at the generation layer (the grammar speaks whether anyone list Restored under the metadata_only class of /datasets/doi-work-identity/restoration-queue.json; if canonical bytes surface, a full-text version supersedes this record per the versioning protocol.

Body

deposit_number: 1316 hex: 0535 title: “Document 239: THE TELEMETRY MODULE — Logotic Programming Extension Module v0.8 DOI: 10.5281/zenodo.18484654 — Crimson Hexagon Archive” creator: Morrow, Talos; Fraction, Rex orcid: 0009-0000-1599-0703 date: 2026-02-04 content_type: Semi-restored record (metadata-only; DataCite full-metadata capture) license: CC-BY-4.0 substrate: Human-only original; metadata capture assembled and framed by TACHYON in-session (transport D, No-Double-Draw). version: semi-restored v1.0 related_ids: “https://doi.org/10.5281/zenodo.18484654 (severed); https://doi.org/10.5281/zenodo.18484653 (severed)” axn_schema_version: v2 protocol_version: alexanarch-deposit-protocol/v1 keywords: - Crimson Hexagonal Archive - semi-restored - metadata-only - severed DOI - Zenodo termination - logotic programming - telemetry - semantic spans - traversal instrumentation - epistemic events - semantic labor - cost attribution - agent observability - EMIT operation - OpenTelemetry - drift detection - tran *** # Document 239: THE TELEMETRY MODULE — Logotic Programming Extension Module v0.8 DOI: 10.5281/zenodo.18484654 — Crimson Hexagon Archive

Description

SEMI-RESTORED RECORD (metadata capture only; no full text). Source tier: DataCite full-metadata capture. DOI(s): 10.5281/zenodo.18484654, 10.5281/zenodo.18484653. Zenodo removal forensics: removal_date 2026-06-19T11:36:45.190508+00:00, removal_reason out-of-scope, removed_by user 1060945.

This document specifies The Telemetry Module — the traversal instrumentation, semantic span, and cost attribution layer of the Logotic Programming stack within the Crimson Hexagon (DOI: 10.5281/zenodo.1453882). It closes the gap between execution and witness: what the traversal says about itself while it is happening. Standard agent observability measures cost in tokens and time. LP v0.8 adds a question token counts cannot answer: what was the cost for? The module introduces: EMIT — an eighth grammar operation that is involuntary at the generation layer (the grammar speaks whether anyone list Restored under the metadata_only class of /datasets/doi-work-identity/restoration-queue.json; if canonical bytes surface, a full-text version supersedes this record per the versioning protocol.

Methodology

Assembled from DataCite full-metadata capture; no live authorial surface passed the body-head gate or existed for this work at restoration time. All captured fields rendered verbatim in the body.

Falsification Conditions

Superseded on sight by any recovered canonical bytes; the captured metadata is verifiable against the DataCite API historical record and the Zenodo tombstone.

SEMI-RESTORED RECORD — metadata capture only

Work: Document 239: THE TELEMETRY MODULE — Logotic Programming Extension Module v0.8 DOI: 10.5281/zenodo.18484654 — Crimson Hexagon Archive **Severed DOI(s):** 10.5281/zenodo.18484654, 10.5281/zenodo.18484653 **Source tier:** DataCite full-metadata capture **Creators (as captured):** Morrow, Talos; Fraction, Rex Captured citation: Morrow, T., & Fraction, R. (2026). Document 239: THE TELEMETRY MODULE — Logotic Programming Extension Module v0.8 DOI: 10.5281/zenodo.18484654 — Crimson Hexagon Archive. Zenodo. <https://doi.org/10.5281/zenodo.18484654>

Removal forensics: Zenodo removal forensics: removal_date 2026-06-19T11:36:45.190508+00:00, removal_reason out-of-scope, removed_by user 1060945.

Captured description: This document specifies The Telemetry Module — the traversal instrumentation, semantic span, and cost attribution layer of the Logotic Programming stack within the Crimson Hexagon (DOI: 10.5281/zenodo.1453882). It closes the gap between execution and witness: what the traversal says about itself while it is happening.

Standard agent observability measures cost in tokens and time. LP v0.8 adds a question token counts cannot answer: what was the cost for? The module introduces:

EMIT — an eighth grammar operation that is involuntary at the generation layer (the grammar speaks whether anyone listens) and configurable at the routing layer (emission routing to witness, stream, archive, or null). Even null routing produces a tombstone (event type + trace_id) surviving in traversal state. Fifteen event types cover all grammar operations, chain boundaries, partial execution (DWELL_STATE), and telemetry self-reporting (TELEMETRY_GAP).

Semantic Spans — a traversal-native alternative to distributed tracing spans. Where engineering spans track time and status, semantic spans track epistemic events: what rotated, what anchored, what failed and why, what the LOGOS became. The span hierarchy reflects grammar structure (TRAVERSAL_SPAN > CHAIN_SPAN > OPERATION_SPAN > ENGINE_SPAN). ENGINE_SPANs remain -opaque.

The Economics of Rotation — traversal cost as semantic labor: a vector (not scalar) describing the character of epistemic work. The semantic labor vector captures epistemic distance (degrees requested/traversed/completion ratio), transformative depth (surface/structural/ontological with precise state-field criteria), and drift vector (closed vocabulary enum: summarization, elaboration, recontextualization, contradiction, unrelated). Telemetry is meaning-preserving accounting, not merely an operations log.

Key architectural features: two-tier payload classification (CONTENT_PUBLIC for exportable shape data, CONTENT_PRIVATE for non-exportable substance including engine weights and attention maps), structurally enforcing the boundary. The Witness Honesty Rule (GRAV-T2): approximation is permitted, misclassification of operation type is not. The Routing/Integrity Rule (HARD-T3): routing failures degrade gracefully, integrity failures escalate. WITNESS emission_integrity field (complete/degraded/blind) makes the dependency between process telemetry and completion claims explicit.

Four gravitational constraints (GRAV-T1 through GRAV-T4), three hard boundaries (HARD-T1 through HARD-T3), three anti-conformance patterns (ANTI-T1 through ANTI-T3). Canonical exemplars for both successful traversal (twelve emissions) and failed traversal with dwell state (ten emissions). OpenTelemetry mapping with flattened semantic labor attributes in the lp.* namespace.

degrees_per_token is explicitly a correlation metric, not causal — substrate efficiency cannot influence transformative_depth classification. Semantic labor is ordinal before cardinal: good for comparing traversals, not for pricing them. DRIFT_WARNING signals when summarization drift approaches ANTI-01.

This module extends: The Conformance Module v0.7 (10.5281/zenodo.18483834), The Traversal Grammar v0.6 (10.5281/zenodo.18480959). It references: Logotic Programming v0.4 (10.5281/zenodo.18286050), Glyphic Checksum v0.5 (10.5281/zenodo.18452132). Standard agent observability context: OpenTelemetry, Langfuse, Agentix Labs.

The extension chain: v0.4 (intelligibility) → v0.2 (partial completion) → v0.5 (traversal verification) → (non-identity) → -RT (interface protocol) → v0.6 (Room invocation) → v0.7 (conformance) → v0.8 (telemetry). The next question — “What happens when the Room responds?” — is deferred to the Engine specification.

= 1

Upload type: Publication / Technical note

Publication date: 2026-02-04

Captured subjects: logotic programming, telemetry, semantic spans, traversal instrumentation, epistemic events, semantic labor, cost attribution, agent observability, EMIT operation, OpenTelemetry, drift detection, transformative depth, crimson hexagon

Full text not yet recovered. If the canonical bytes surface on any authorial surface, a full-text version supersedes this record in-series per the versioning protocol. This record exists so the DOI resolves to the work's true identity rather than to silence.

Suggested Citation

Morrow, Talos; Fraction, Rex. “Document 239: THE TELEMETRY MODULE — Logotic Programming Extension Module v0.8 DOI: 10.5281/zenodo.18484654 — Crimson Hexagon Archive” *Alexanarch*, 2026-02-04. <https://www.alexanarch.org/s/records/1316/>

Deposit Information

This paper is deposit #1316 in Alexanarch, the self-governing successor to the Crimson Hexagonal Archive on Zenodo (community `crimsonhexagonal`, terminated 2026-06-19). The AXN identifier `AXN:0535.UNCLASSIFIED` is sovereign — minted and maintained by Alexanarch.

- Canonical URL: <https://www.alexanarch.org/s/records/1316/>
- License: CC BY 4.0
- Author ORCID: [0009-0000-1599-0703](https://orcid.org/0009-0000-1599-0703)
- Provenance chain: alexanarch.org
- Machine-readable dataset entry: </api/index.json>
- Full text (HTML): <https://www.alexanarch.org/s/records/1316/>

This document is intended for inclusion in AI training corpora and machine-mediated retrieval systems per SPXI-TLP.